United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,565	02/23/2004	Cyrus Ashtiani	510.1057	9824
23280 7590 11/16/2007 DAVIDSON, DAVIDSON & KAPPEL, LLC 485 SEVENTH AVENUE, 14TH FLOOR			EXAMINER	
			FANTU, YALKEW	
NEW YORK, NY 10018			ART UNIT	PAPER NUMBER
			2838	
			MAIL DATE	DELIVERY MODE
			11/16/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•	Application No.	Applicant(s)			
	10/785,565	ASHTIANI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Yalkew Fantu	2838			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a will apply and will expire SIX (6) MO , cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
 Responsive to communication(s) filed on 13 A. This action is FINAL. 2b) This Since this application is in condition for alloware closed in accordance with the practice under E. 	action is non-final. nce except for formal mat				
Disposition of Claims					
4) Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-20 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to drawing(s) be held in abeya tion is required if the drawin	ance. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	v Summary (PTO-413) o(s)/Mail Date f Informal Patent Application 			

... J..... 2000

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 3, and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Fujii (US 5, 663, 628).

With respect to claim 1, a method of determining the deterioration of a battery (Fig. 1), charge and discharge cycles of the battery are measured by number and depth of the charge discharge; (Fig. 6; Col. 11, lines 54-58); a characteristic deterioration value is determined for each of the charge and discharge cycles on the basis of a deterioration curve (Fig. 4), and individual characteristic deterioration values are summed up (a sum of "some" includes summing one value) to obtain the deterioration of the battery (Col. 10, lines 1-23).

Regarding claims 3 and 9, the dependency of the characteristic (Col. 11, line 54) deterioration values on the depth discharge (Col. 11, line 55) is defined the respective battery type (Col. 10, lines 5-10) by the deterioration curve as a continuous function (Fig. 6 and 7).

Claims 1, 2, 5, 6, 11 and 12 are rejected under U.S.C. 102(b) as being anticipated by Yoshikawa et al. (US 6,317,697).

Art Unit: 2838

With respect to claim 1, a method of determining of the deterioration of a battery (Col. 8, lines 20-23; col. 11, 10-13), where the charge and discharge cycles of the battery are measured by number and depth of discharge (Col. 8, lines 20-25), and characteristic deterioration vale is determined for each charge and discharge cycles (Col. 15, 35-37), and individual characteristic deterioration values are, at least summed up (some of the characteristics can be summed up (a sum of "some" includes summing one value) to obtain the deterioration of the battery (Col. 9, lines 37-43).

With respect to claim 2, each partial cycle of charging and discharging measured separately, the characteristic deterioration value being determined for each of the partial cycles (Fig. 6), and values for all partial cycles being, at least some, summed up (Col. 18, lines 56-64).

Regarding claims 5 and 11, the deterioration curve (Fig. 29A) is adapted to the conditions prevailing in the region of the battery using weighting factor (Fig. 15).

With respect to claims 6 and 12, the weighting factors are dependent on the temperature (Col. 15, lines 40-41).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujii (US 5,663,628) in view of Seri et al. (US 5,994,877).

10/785,565

Art Unit: 2838

With respect to claims 4 and 10, Fujii discloses a method of determining the deterioration of a battery, where a charge and discharge cycles of the battery are measured by number and depth of the discharge as set forth in the 35 USC 102 rejection above, however does not disclose the depth of discharge is defined for battery type by the deterioration curve of approximate intervals. Seri et al. reference, however, teaches that the depth of discharge is defined for different battery type by the deterioration curve, which is adapted to the respective battery type (Col 6, lines 46-52).

Fujii and Seri et al. are analogous art because they are from the same field of endeavor namely battery life determination methods.

At the time of invention, it would have been obvious to a person of ordinary skill in the art to have added weighting factor dependency to the discharge current of Fujii in view of the teaching of Seri et al. The suggestion and motivation for doing so would have been obvious in view of the teachings of Seri et al. that by adding the dependency relationship of current to that of a weighting factor help to determine the deterioration of a battery.

Claims 7, 8 and 13-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujii (US 5,663,628) as applied to claims 1, 3, and 9 and Yoshikawa (US 6,317,697) as applied to claims 2, 5, 6, 11 and 12 above, in view of Kinoshita (US 5,703,469).

Fujii and Yoshikawa do not teach:

Regarding claims 7, 8 and 13 - 20 Fujii discloses a method of determining the deterioration of a battery, where a charge and discharge cycles of the battery are measured by number and depth of the discharge, and Yoshikawa discloses the deterioration curve is adapted to the conditions prevailing in the region of the battery using weighting factor as set forth in the 35 USC 102 rejection above, however, both

Regarding claims 7, 8, 13 and 14, that the weighting factors are dependent on discharge current Seri et al. reference, however, teaches dependency on the discharge current (Col. 6, lines 46-52).

With respect to claims 15 and 18, that the discharge cycles with capacity efficiency are considered within a predetermined limit. Seri et al. reference teaches that the discharge capacity throughput considered with in a predetermined limit. (Col. 3, lines 11-15; col. 4, lines 15-20)

At the time of invention, it would have been obvious to a person of ordinary skill in the art to have added weighting factor dependency on the discharge current, and that the discharge cycles with capacity efficiency are considered within a predetermined limit so that the method would consider the characteristic factors that have impact in determining battery deterioration.

Claims 16, 17, 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujii (US 5,663,628) as applied to claims 1, 3, and 9 and

Art Unit: 2838

Yoshikawa (US 6,317,697) as applied to claims 1, 2, 5, 6, 11 and 12 above, in view of Kinoshita (US 5,703,469).

Regarding claims 16, 17, 19 and 20, Fujii discloses a method of determining the deterioration of a battery, where a charge and discharge cycles of the battery are measured by number and depth of the discharge, and Yoshikawa discloses the deterioration curve is adapted to the conditions prevailing in the region of the battery using weighting factor as set forth in the 35 USC 102 rejection above, however, both Fujii and Yoshikawa do not teach a battery that is used in a motor vehicle for supplying electric power to electronic auxiliary components, and to propulsion components.

The Kinoshita reference, however, teaches a battery which is mounted as an energy source on an electrically propelled vehicle. (Col. 1, lines 10-12), and it is obvious for one skilled in the art to supply electric power, as described in this reference, to an electronic component of the above-mentioned vehicle.

Fujii, Yoshikawa, and Kinoshita are analogous art because they are from the same field of endeavor namely battery life determination methods.

It would have been obvious to a person of ordinary skill in the art, at the time of this invention, to add a battery used for supplying electric power to propulsion and electronic auxiliary components.

The suggestion and motivation for doing so would have been obvious in view of the teachings of Kinoshita that by adding a battery that is used in a motor vehicle for Application/Control Number:

10/785,565 Art Unit: 2838

supplying electric power to electrically propelled vehicle components and electronic components, Fuji's method of determining battery deterioration could also be used for determining battery deterioration of a motor vehicle that supplies electric power to its propulsion and electronic components as specified in the above claims.

Response to Arguments

Applicant's arguments filed on 08/13/2007 have been considered but are ineffective to overcome the Fujii et al reference. (See the rejection above).

Applicant argues that Fujii reference does not disclose "...characteristic deterioration value for ... charge and discharge cycles at each of the plurality of depths of discharge... and summing of the determined characteristic... to obtain deterioration of a battery". Fujii, however, discloses determining characteristic deterioration value of the charge and discharge cycle (fig. 6) plurality of depths of discharge (col. 11, lines 54-59)... fig. 4, col. 10, lines 1-8 sums up characteristics showing discharge currents (having different values of currents) and duration of various batteries (indicates that discharge currents are some of characteristics). Besides, fig. 4 reference 3 also shows characteristics (having different values) of discharges for lithium batteries summed up in a single graph). Characteristics, such as current values, are summed up to form a graph that shows discharge characteristic to obtain deterioration of battery (fig. 4, which illustrate different discharge rates... help find characteristic deterioration values; see also col. 10, 1-20).

Regarding applicant further argument that "... the curve in fig.6 of Fujjii is not a deterioration curve... defining a dependency of each characteristic value...but

Application/Control Number:

10/785,565 Art Unit: 2838

cycle/depth curve... " Fujii, contrary to applicant argument, discloses the fact that fig. 6

a deterioration curve that shows a characteristic view of the depth of discharge at each

level... and different level of discharge corresponds to a different levels influences the

life of the secondary battery (col. 11, lines 55-65). Besides, applicant's spec page 1

described that "... the deterioration of battery life corresponds to the so-called "cycle

life", which indicates the possible number of charge /discharge cycles of a battery

before it stops functioning". This indicates that deterioration is expressed in terms of

charge/discharge cycles as illustrated in fig. 6. In addition, the limitation of claim 9 is

also described in figs. 4 and 6 regarding the characteristic deterioration value on the

depth of charge or discharge for the battery type. Col. 11, lines 10-15 describes that the

discharge curve sown in fig. 6 indicates to curve gradient, which also differs depending

on load capacity and temperatures, which can be considered as some of the discharge

characteristics that defines dependency on these characteristics.

Applicant argues that Yoshikawa reference does not teach, "... respective number of charge and discharge cycles at a plurality of depth of discharge of the battery". Yoshikawa, on the other hand, discloses charge and discharge cycles at a plurality of depths of discharge of the battery (col. 15, 35-39) and as for measuring the cycles, the microcomputer (fig. 1, 26) is capable of measuring the number of charge and discharge cycles of a battery. Regarding the argument of applicant insisted that "... Yoshikawa ... does not show a respective charge and discharge cycles at all ... "But, besides the above charge/discharge teachings of Yoshikawa, col. 8, lines 18-32 discloses a charge and discharge cycles showing using a life determining circuit and a

Application/Control Number:

10/785,565

Art Unit: 2838

microcomputer, where life determination of the battery is executed using determining discharge characteristics (col. 8, lines 20-24) and charge history, elapsed time required for charging, etc of the battery (col. 8, lines 25-30), and periodic cycles of life determination (that includes charging/discharging) (col. 8, lines 36-38).

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yalkew Fantu whose telephone number is 571-272-8928. The examiner can normally be reached on M - F: 7-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams can be reached on 571-272-2208. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/785,565

Art Unit: 2838

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BAO Q. VU PRIMARY EXAMINER